

# **Confidential Report**

Our Ref: 23/59121B1/11/21





Telephone: +44 (0) 113 259 1999 Email: info@bttg.co.uk

: www.bttg.co.uk

Date: 4 January 2022

Our Ref: 23/59121B1/11/21

Your Ref:

Page: 1 of 4

Client: Gabriel A/S

> Hjulmagerve 55 DK-900 Aalborg Denmark

Job Title: Fire Test on One Fabric Sample

Clients Order Ref: 0011572342

24 November 2021 Date of Receipt:

Date Test Started: 23 December 2021


Description of Sample: One sample of fabric, which was referenced by the client as;

Crisp 04032 L. Beige, stated to be: 93% Wool/7% PA

Work Requested: We were asked to make the following fire test:

The Furniture and Furnishings (Fire Safety) Regulations 1988, Schedule 4, Part 1,

"The Cigarette Test" and Schedule 5, Part 1, "The Match Test"



subcontracted test, EN ISO/IEC 17025 accredited

not UKAS accredited

Note: This report relates only to the samples submitted and as described in the report.





Telephone: +44 (0) 113 259 1999

Email: <u>info@bttg.co.uk</u> : www.bttg.co.uk

Date: 4 January 2022

Our Ref: 23/59121B1/11/21

Your Ref: ---

Page: 2 of 4

Client: Gabriel A/S

Testing to Schedule 4, Part 1, "The Cigarette Test" and Schedule 5, Part 1, "The Match Test" of The Furniture and Furnishings (Fire) (Safety) Regulations 1988 S.I. No. 1324 (as amended by SI 1989 No. 2358, SI 1993 No. 207 & SI 2010 No. 2205), using BS 5852:Part 1:1979

#### **Pre-Treatment**

The material received no pre-treatment as the fabric is stated to not have an FR treatment.

## **Conditioning**

All materials used were conditioned in the environment specified in Clause 7 of BS 5852: Part 1: 1979 "Methods of test for the ignitability by smokers materials of upholstered composites for seating."

## **Testing**

The material was tested according to BS 5852: Part 1: 1979 "Methods of test for the ignitability by smokers materials of upholstered composites for seating."

The results of BS 5852: Part 1: 1979 relate only to the ignitability of the combination of materials under the particular conditions of test, they are not intended as a means of assessing the full potential fire hazard of the materials in use.

Cigarette Test – Source 0 - The sample was tested over non-fire retardant polyurethane foam with a density of approximately 20-22kg/m<sup>3</sup>.

Butane Flame Test – Source 1 - The sample was tested over non-fire retardant polyurethane foam with a density of approximately 20-22kg/m<sup>3</sup>.

The results for all tests are given in the table(s) on the following page(s).





Page:

Telephone: +44 (0) 113 259 1999

Email: <u>info@bttg.co.uk</u> : <u>www.bttg.co.uk</u>

Date: 4 January 2022

Our Ref: 23/59121B1/11/21 Your Ref: ---

3 of 4

Client: Gabriel A/S

## Results of Cigarette Test - Source 0

Specimen No.	1	2
Time of Ignition (sec)		
Extinction Time (Smouldering) (min)	DNP	DNP
Time to cover split (min)	DNS	DNS
Melting	No	No
Dripping	No	No
Charring	Yes	Yes
Progressive smouldering on final inspection	No	No

No flaming or progressive smouldering within a period of 1 hour from placement of the cigarette.

**Result of the Cigarette Test: Pass** 

# Results of Butane Flame (Match) Test - Source 1

Specimen No.	1	2
Time of Ignition (sec)	5	5
Time of Flame Extinction (sec)	1	1
Time to cover split (sec)	DNS	DNS
Melting	Yes	Yes
Dripping	No	No
Charring	Yes	Yes
Progressive smouldering on final inspection	No	No

Requirements - Duration of flaming from removal of source not greater than 120 seconds. Duration of smouldering from removal of source not greater than 15 mins.

## **Result of the Butane Flame Test: Pass**

## Acronyms

DNP – Did not propagate
DNS – Material did not split

EC – Escalating combustion
DNO – Did not observe time of event

ME – Manually extinguished BTE – Burnt to extremities

ES – Escalating smouldering







Telephone: +44 (0) 113 259 1999

Email: <u>info@bttg.co.uk</u> : www.bttg.co.uk

Date: 4 January 2022

Our Ref: 23/59121B1/11/21

Your Ref: ---

Page: 4 of 4

Client: Gabriel A/S

### **Comments**

The sample meets the flammability requirements of Schedule 4, Part 1, "The Cigarette Test" of the Furniture and Furnishings (Fire) (Safety) Regulation 1988 (as amended) S.I. No. 1324.

The sample meets the flammability requirements of Schedule 5, Part 1, "The Match Test" of the Furniture and Furnishings (Fire) (Safety) Regulation 1988 (as amended) S.I. No. 1324.

An estimation of uncertainty of measurement has been taken into account when making a judgment to any pass/fail criteria. Under our Policy we have used a non-binary decision rule.

See our Decision rules Policy (<a href="http://www.bttg.co.uk/decision-rules-policy">http://www.bttg.co.uk/decision-rules-policy</a>) for further information.

## **Uncertainty Budget**

Timings: ± 2 seconds

Reported by: B Bland, Technical Customer Service Officer

Countersigned by: P Doherty, Manager

Enquiries concerning this report should be addressed to Customer Services.

