			louse, West Park Ring Road, Leeds, LS16 6QL, UK. phone: +44 (0)113 259 1999 Email: <u>info@bttg.co.uk</u> Website: <u>www.bttg.co.uk</u>
DTTC		Date:	27 January 2021
BIIG		Our Ref: Your Ref:	23/58122-4 0011512406
TESTING • CERTIFICATION • AUDITING		Page:	1 of 6
Client:	Gabriel A/S Hjulmagerve 55 DK-900 Aalborg DENMARK		
Job Title:	BS EN 1021 Parts 1 & 2		
Client's Order No:	0011512406		
Date of Receipt: Date of Test Start:	04 January 2021 13 January 2021		
Description of Sample(s):	One sample of fabric identified as follo	ws was received for tes	ting:
	Europost 2 / Beige		

Work Requested:We were asked to make the following test:BS EN 1021-1:2014 and BS EN 1021-2 2014





Date:	27 January 2021
Our Ref:	23/58122-4
Your Ref:	0011512406

Page:

2 of 6

## Gabriel A/S

Sample was identified as follows:

Europost 2 / Beige

# FIRE TESTS ACCORDING TO BS EN 1021-1:2014 Assessment of the ignitability of upholstered furniture. Part I. Ignition Source 0: Smouldering cigarette

### **Pre-Treatment**

The sample did not have a flame retardant treatment therefore it was not subjected to a water soak pre-treatment

# Conditioning

The sample was conditioned for at least 16 hours at a temperature of  $23\pm2^{\circ}$ C and relative humidity of  $50\pm5\%$ .

The sample was tested in a room of volume 25m<sup>3</sup> and 16°C.

## Procedure

The test was carried out in accordance with BS EN 1021-1:2014. The sponsor sampled the material and the specimens were cut from the sample received to the dimensions set out in the standard.

The sample was tested over non-fire retardant polyurethane foam with a density of approximately 20-22 kg/m<sup>3</sup>.

Tests were made using ignition source 0.

## Requirements

The specimens shall not:-

### Smouldering Criteria

- a) display escalating combustion requiring active extinction.
- b) smoulder or burn until it is essentially consumed within the test duration.
- c) smoulder or burn to the extremities of the specimen, or through the full thickness, within the duration of the test.
- d) smoulder for more than one hour.
- e) on final examination, show evidence of progressive smouldering.



Shirley® Technologies Limited. Registered Office: Wira House, West Park Ring Road, Leeds, LS16 6QL. A company registered in England & Wales with company number 04669651. VAT Number GB 816764800. BTTG™ and Shirley® are trade names of Shirley Technologies Limited The supply of all goods and services is subject to our standard terms of business, copies of which are available on request. Our laboratories are accredited to EN ISO/IEC 17025.



27 January 2021	Date:
23/58122-4 0011512406	Our Ref: Your Ref:
3 of 6	Page:

# Gabriel A/S

## **Requirements (continued)**

### Flaming Criteria

a) show evidence of flaming initiated by a smouldering source.

### Results

	Cigarette			_
	1	2	<b>3</b> <sup>1</sup>	Comments
Smouldering Criteria (Yes/No)				
Unsafe escalating combustion	No	No		
Test assembly consumed	No	No		
Smoulders to extremities	No	No		
Smoulders through thickness	No	No		
Smoulders more than1 hour	No	No		
In final examination, presence of progressive smouldering	No	No		
Ignitability Performance (Yes/No)				
Occurrence of flames	No	No		
Ignition / Non Ignition ( I/NI )	NI	NI		

<sup>1</sup> Results for cigarette 3, only if applicable.

# Note

The test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.

# Comments

An NI designation indicates that the sample meets the performance requirements of BS EN 1021-1.





27 January 2021	Date:
23/58122-4 0011512406	Our Ref: Your Ref:
4 of 6	Page:

### Gabriel A/S

# FIRE TESTS ACCORDING TO BS EN 1021-2:2014 Assessment of the ignitability of upholstered furniture. Part 2. Ignition Source 1: Match flame equivalent.

### **Pre-Treatment**

The sample did not have a flame retardant treatment therefore it was not subjected to a water soak pre-treatment

# Conditioning

The sample was conditioned for at least 16 hours at a temperature of 23±2°C and relative humidity of 50±5%.

The sample was tested in a room of volume 25m<sup>3</sup> and 16ºC.

# Procedure

The test was carried out in accordance with BS EN 1021-2:2014. The sponsor sampled the material and the specimens were cut from the sample received to the dimensions set out in the standard.

The sample was tested over non-fire retardant polyurethane foam with a density of approximately 20-22 kg/m<sup>3</sup>.

Tests were made using ignition source 1.

### Requirements

The specimens shall not:-

### **Smouldering Criteria**

- a) display escalating combustion requiring active extinction.
- b) smoulders until it is essentially consumed within the test duration.
- c) smoulder to the extremities of the specimen, or through the full thickness, within the duration of the test.
- d) smoulder for more than one hour.
- e) show evidence of charring, other than discolouration, for more than 100mm in any direction apart from the nearest part of the original position of the source.





27 January 2021	Date:
23/58122-4 0011512406	Our Ref: Your Ref:
5 of 6	Page:

Gabriel A/S

# **Requirements (Continued)**

## Flaming Criteria

- a) display escalating combustion requiring active extinction.
- b) burns until it is essentially consumed within the test duration.
- c) burns to the extremities of the specimen, or through the full thickness, within the duration of the test.
- d) exhibit any flaming for more than 120 seconds after removal of the burner tube.

### Results

	Match Flame Equivalent		Comments
	1	2	
Smouldering Criteria (Yes/No)			
Unsafe escalating combustion	No	No	
Test assembly consumed	No	No	
Smoulders to extremities	No	No	
Smoulders through thickness	No	No	
Smoulders more than 1 hour	No	No	
In final examination, presence of	No	No	
progressive smouldering	NO	NO	
Ignitability Performance (Yes/No)			
Unsafe escalating combustion	No	No	
Test assembly consumed	No	No	
Flames to extremities	No	No	
Flames through thickness	No	No	
Flames longer than 120 seconds	No	No	
Ignition / Non Ignition ( I/NI )	NI	NI	

## Note

The test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.



Shirley® Technologies Limited. Registered Office: Wira House, West Park Ring Road, Leeds, LS16 6QL. A company registered in England & Wales with company number 04669651. VAT Number GB 816764800. BTTG™ and Shirley® are trade names of Shirley Technologies Limited The supply of all goods and services is subject to our standard terms of business, copies of which are available on request. Our laboratories are accredited to EN ISO/IEC 17025.



27 January 2021	Date:
23/58122-4 0011512406	Our Ref: Your Ref:
6 of 6	Page:

### Gabriel A/S

### Comments

An NI designation indicates that the sample meets the performance requirements of BS EN 1021-2.

This report relates only to the samples submitted and as described in the report.

The overall uncertainty budget for both BS EN 1021: Part 1 and 2:2014 is as follows:-

Timings: ±2 seconds.

Reported by:.... Countersigned By:.... . . . . . . . . . . . . . . B Bland P Doherty Laboratory Technician Manager

Enquiries concerning this report should be addressed to Customer Services.

Shirley® Technologies Limited. Registered Office: Wira House, West Park Ring Road, Leeds, LS16 6QL. A company registered in England & Wales with company number 04669651. VAT Number GB 816764800. BTTG™ and Shirley® are trade names of Shirley Technologies Limited The supply of all goods and services is subject to our standard terms of business, copies of which are available on request. Our laboratories are accredited to EN ISO/IEC 17025.

