

Wira House, West Park Ring Road,

Leeds, LS16 6QL, UK. Telephone: +44 (0)113 259 1999

> Email: <u>info@bttg.co.uk</u> Website: <u>www.bttg.co.uk</u>

Date: 27 January 2021

Our Ref: 23/58122-17 Your Ref: 0011512406

Page: 1 of 4

Client: Gabriel A/S

Hjulmagervej 55 DK-9000 Aalborg

Denmark

Job Title: BS EN 1021 Part 1

Client's Order No: 0011512406

Date of Receipt: 04 January 2021
Date of Test Start: 18 January 2021

Description of Sample(s): One sample of fabric identified as follows was received for testing:

Repetto / Light Grey

Work Requested: We were asked to make the following test:

BS EN 1021-1:2014





Wira House, West Park Ring Road, Leeds, LS16 6QL, UK.

Telephone: +44 (0)113 259 1999

Email: <u>info@bttg.co.uk</u> Website: <u>www.bttg.co.uk</u>

Date: 27 January 2021

Our Ref: 23/58122-17 Your Ref: 0011512406

Page: 2 of 4

Gabriel A/S

Sample was identified as follows:

Repetto / Light Grey

# FIRE TESTS ACCORDING TO BS EN 1021-1:2014 Assessment of the ignitability of upholstered furniture. Part I. Ignition Source 0: Smouldering cigarette

#### **Pre-Treatment**

The sample did not have a flame retardant treatment therefore it was not subjected to a water soak pre-treatment

### Conditioning

The sample was conditioned for at least 16 hours at a temperature of 23±2°C and relative humidity of 50±5%.

The sample was tested in a room of volume 25m<sup>3</sup> and 18°C.

#### **Procedure**

The test was carried out in accordance with BS EN 1021-1:2014. The sponsor sampled the material and the specimens were cut from the sample received to the dimensions set out in the standard.

The sample was tested over non-fire retardant polyurethane foam with a density of approximately 20-22 kg/m<sup>3</sup>.

Tests were made using ignition source 0.

## Requirements

The specimens shall not:-

# **Smouldering Criteria**

- a) display escalating combustion requiring active extinction.
- b) smoulder or burn until it is essentially consumed within the test duration.
- c) smoulder or burn to the extremities of the specimen, or through the full thickness, within the duration of the test.
- d) smoulder for more than one hour.
- e) on final examination, show evidence of progressive smouldering.





Wira House, West Park Ring Road, Leeds, LS16 6QL, UK.

Telephone: +44 (0)113 259 1999

Email: <u>info@bttg.co.uk</u> Website: <u>www.bttg.co.uk</u>

Date: 27 January 2021

Our Ref: 23/58122-17 Your Ref: 0011512406

Page: 3 of 4

### Gabriel A/S

# Requirements (continued)

# Flaming Criteria

a) show evidence of flaming initiated by a smouldering source.

# Results

	Cigarette		•	
	1	2	3 <sup>1</sup>	Comments
Smouldering Criteria (Yes/No)				
Unsafe escalating combustion	No	No		
Test assembly consumed	No	No		
Smoulders to extremities	No	No		
Smoulders through thickness	No	No		
Smoulders more than1 hour	No	No		
In final examination, presence of progressive smouldering	No	No		
Ignitability Performance (Yes/No)				
Occurrence of flames	No	No		
Ignition / Non Ignition ( I/NI )	NI	NI		

<sup>&</sup>lt;sup>1</sup> Results for cigarette 3, only if applicable.

# Note

The test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.





Wira House, West Park Ring Road, Leeds, LS16 6QL, UK.

Telephone: +44 (0)113 259 1999

Email: <a href="mailto:info@bttg.co.uk">info@bttg.co.uk</a>
Website: www.bttg.co.uk

Date: 27 January 2021

Our Ref: 23/58122-17 Your Ref: 0011512406

Page: 4 of 4

### Gabriel A/S

#### **Comments**

An NI designation indicates that the sample meets the performance requirements of BS EN 1021-1.

This report relates only to the samples submitted and as described in the report.

The overall uncertainty budget for BS EN 1021: Part 1:2014 is as follows:-

Timings: ±2 seconds.

B Bland P Doherty Laboratory Technician Manager

Enquiries concerning this report should be addressed to Customer Services.

