



Received:01/03/2017	Completed:01/06/2017	Letter: C2	TM	P.O.#:	Test Report #:	3-17047-2-
<b>Client's Identification</b>	Style: Dragon. Composition: 100% Polyester. Weight: 380 g/lm. Product End Use: Upholstery. Color Number: 61148 Brown.					
<b>Tested For:</b>	<b>Bente Ellingsoe, Quality Department</b>	<b>Key Test:</b> ASTM D 3511/ACT			140	
	Gabriel A/S Hjulgagervej 55 DK-9000 Aalborg, Denmark	<b>Tel:</b> 011-45-9630-3100		<b>Ext:</b>		
		<b>Fax:</b> 011-45-9811-6125				

Test Category: Brush Pilling      Specifier: ACT      LE 2015; V 08/15      PC: 4H      dl/SM  
 NTR 7/16

TEST PERFORMED: ASTM D 3511 - Standard Test Method for Pilling Resistance and Other Related Surface Changes of Textiles Fabrics: Brush Pilling Tester Method (LE 2013; V 3/15) --

As cited by the ACT Voluntary Performance Guidelines (January 2015)

PRODUCT CATEGORY: Upholstery - Woven Fabrics

ACCEPTANCE CRITERIA: Class 3 Minimum Average

RESULTS:

Specimen #	Rating
1	Class 5
2	Class 5
3	Class 5
Avg:	Class 5

OBSERVATIONS:

Development of fuzzing observed:  Yes;  No  
 Color change observed:  Yes;  No  
 Loss of cover observed:  Yes;  No

REMARKS: None.

RATING SYSTEM:

- Class 5 - No pilling
- Class 4 - Slight pilling
- Class 3 - Moderate pilling
- Class 2 - Severe pilling
- Class 1 - Very severe pilling



96-D Allen Boulevard  
 Farmingdale, New York 11735-5626 USA  
 Tel. +1 (631) 293-8944 Fax +1 (631) 293-8956  
 e-mail: testing@govmark.com

Received:01/03/2017	Completed:01/06/2017	Letter: C2	TM	P.O.#:	Test Report #:	3-17047-2-
Client's Identification	Style: Dragon. Composition: 100% Polyester. Weight: 380 g/lm. Product End Use: Upholstery. Color Number: 61148 Brown.					
Tested For:	Bente Ellingsoe, Quality Department		Key Test: ASTM D 3511/ACT		140	
	Gabriel A/S					
	Hjulgagervej 55		Tel: 011-45-9630-3100		Ext:	
	DK-9000 Aalborg, Denmark		Fax: 011-45-9811-6125			

CONCLUSION: Based on the above Results and Acceptance Criteria, the item tested:

Complies;  Does not comply

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified above.

Phyllis Pettit

-----  
 AUTHORIZED SIGNATURE

GOVMARK

/mo /pm

FEB 01 2017

(Page 2 of 2)