TEST REPORT

Report Reference:

TR5216/186450

Submitted By:

Gabriel A/S, Hjulmagervej 55, DK-9000, Aalborg, Denmark

F.A.O: Bente Ellingsoe

Order Date:

17 November 2016

Order No: None Given

31 Kingsland Grange Woolston Warrington Cheshire WA1 4RW

Consumer Products

Bureau Veritas

Services UK Ltd

Date of Receipt:

03 January 2017

Items Tested:

Omega

Colour:

60122 Light Grey

Claimed:

100% Polyester

Test Required:

Flammability

Pre-treatment:

None

Conditioning:

A minimum of 24 hours at 50+/-5% Relative Humidity, 23+/-2°C

Date Tests Completed:

16/01/2017

Method of Test:

BS EN 1021-1:2014 - smouldering cigarette F

BS EN 1021-2:2014 - match flame equivalent F

The following test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.

Ignition Source		Result
Smouldering	No flaming or progressive smouldering was observed within one hour of	PASS
cigarette	placement of the cigarettes.	
Match flame	Flaming ceased within the specified two minute period after removal of the	PASS
equivalent	butane flame and no progressive smouldering occurred.	

Note: A 50 kg/m3 CMHR foam was used as the filling

The above tests relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.

Observations:

Test results contained within this test report were subcontracted

Authorised By:

TUPSA

Z. Wells

UK Deputy Operations Manager

Z. Wells

Issue Date:

27th January 2017