

96-D Allen Boulevard Farmingdale, New York 11735-5626 USA Tel. +1 (631) 293-8944 Fax +1 (631) 293-8956 e-mail: testing@govmark.com

Page 1

| Received: 12/13/2017 Completed: 12/29/2017 Letter: I | СТ | P.O.#: | Test Repor | t#: 3-23643-0- |
|--|--------------------|------------------------|---|----------------|
| Client's Style: Breeze Fusion. Composition: 88% Wool of New Zealand, 12% Polyamide. Weight: 590 g/lm. Product End Use: Upholstery. Color #: 4003/G.Beige | | | | |
| Tested For: Bente Ellingsoe, Quality Department Gabriel A/S Hjulmagervej 55 DK-9000 Aalborg, Denmark | | | Key Test: AATCC 16 Lightfa Tel: 011-45-9630-3100 Fax: 011-45-9811-6125 | Ext: |
| | | | | |
| Test Category: Light Fastness Specifier: PC: NS | ACT | NTR 9/15 | LE 2015; V 08/15 dl/SM | |
| TEST PERFORMED: AATCC Test Method 16 - Colorfastness to Light: | | | | |
| [] Option 1: Carbon Arc, Continuous Light [x] Option 3: Water Cooled Xenon Arc Lamp, Continuous Light | | | | |
| As cited by the ACT Voluntary Performance Guidelines (January 2015) | | | | |
| Evaluated by comparison with AATCC Gray Scale for Evaluating Change in Color | | | | |
| PRODUCT CATEGORY: | ACCEPTA | ANCE CRITE | RIA: | |
| <pre>[x] Upholstery - Woven Fabrics [] Direct Glue Wallcoverings [] Wrapped Panels & Upholstered Walls [] Drapery</pre> | 40 hour 40 hour | s - Grade s - Grade | 4 minimum [CODE 96 4 minimum [CODE 96 4 minimum [CODE 96 4 minimum [CODE 133 | 5] 5] |
| RESULTS: | | | | |
| Number of Hours Rating | | | | |
| 40 Grade 5 | | | | |
| REMARKS: None. | | | | |
| RATING SYSTEM: | | | | |
| Grade 5 - No fading or color change Grade 4 - Slight fading or color change Grade 3 - Noticeable fading or color change Grade 2 - Considerable fading or color change Grade 1 - Excessive fading or color change | | | | |
| CONCLUSION: Based on the above Results and Acceptance Criteria, the item tested: | | | | |
| [x] Complies; [] Does not comply | | | | |
| CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified above. | | | | |
| AUTYORIZED SIGNATURE | lis P ett i | it J | AN 0 5 2018 | |
| covmark CT /jb /pm | (Page 1 | of 1) | | |