

Nepshaw Lane South, Morley, Leeds, LS277JQ Materials Testing Manager: D. J. Brockbank

t: 0113 393 9791

e: dale.brockbank@wyjs.org.uk www.wyjs.org.uk/materialstesting



TEST REPORT

Client: Gabriel

> Hjulmagervej 55 Postbox 59 DK-9100 Aalborg

Denmark

93339 **Entry No:**

Date received: 13/12/2017

Client's Description: Sample of fabric: Savak 00004 Grey

Test Required: Pilling in accordance with BS EN 14465. Colour Fastness to Light and Colour

Fastness to Rubbing

Conditioning: In accordance with BS EN ISO 139: 2005 for a minimum of 24 hours at

65+/-4%, Relative Humidity, 20+/-2°C

Date Tests Completed: 22/01/2018

Pilling: BS EN ISO 12945-2: 2000 Load 415g

Rating

After 2,000 rubs After 5,000 rubs

Colour Fastness to Light: BS EN ISO 105-B02: 2014 Method 2

A specimen was exposed together with Standard References numbers 1-8. By comparison with the standard references the grading was found to be:

BWS Rating

This is hereby certified to be a correct return of the tests made of the items referred to herein

Vivienne Brockbank Technician

22 January 2018

- Unless instructed otherwise by the client sample remnants will be disposed of after 28 days.
- Tests marked ^N in this certificate are not included in the UKAS Accreditation Schedule for this Laboratory. Tests marked ^F in this certificate are performed under the Laboratory's Flexible Scope of Accreditation. Tests marked ^S in this certificate have been subcontracted to another ISO17025 Accredited Laboratory.
- Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.
- Uncertainty budgets for test methods contained within this report are available on request. This Certificate relates only to the sample received and, unless that sample has been drawn by the staff of this laboratory, or its agent, and endorsed accordingly, any application of the result to a bulk quantity or other material is entirely the responsibility of the client.







Client: Gabriel

Entry No: 93339



Colour Fastness to Rubbing: BS EN ISO 105-X12: 2016F

		<u>Dry</u>	<u>Wet</u>
	Warp Way	5	5
	Weft Way	5	5
Change in Colour		<u>Dry</u>	Wet
	Warp Way	5	5
	Weft Way	5	5

Note: Change in colour is not a requirement of the method but was carried out at the request of the client.

-----End of Document------